

Home ■ Оборудование ■ Песколовки / обработка песка ■ Автономные установки и компоненты ■  
Фильтрующий перфорированный барабан HUBER RoSF9

## Фильтрующий перфорированный барабан HUBER RoSF9



Separation of grit from WWTPs and sewer systems, road refuse and oil grit

- Homogenisation of the material to be processed
- Break-up of big agglomerates in the material
- Washout of all material < 10 mm
- Clean material after coarse material washing
- Self-cleaning screen drum

- Different screen perforations available
- A frequency converter allows for different rotation speeds

While wash water is added to pre-wash and homogenise the raw material within the HUBER Wash Drum in RoSF9 version, the perforated plate of the Wash Drum retains all particles > 10 mm, which are dewatered and then discharged into a skip. Since only coarse material > 10 mm is separated, the volume of the resultant residues is vastly reduced.

Virtually the complete mineral material being further treated in the down-stream [HUBER Coanda Grit Washer RoSF4](#). The resultant coarse material can then be further separated into a mineral and organic fraction by means of a coarse material washer.

## преимущества

### ADVANTAGES OF HUBER WASH DRUM ROSF9

- High solids throughput even with problematic material (tresses, grease, stones)
- High hydraulic capacity even with high solids contents
- High yield by coarse material washing
- Defined separation size due to two-dimensional screening
- Feeding from a conveyor, through a launder channel or pressure line
- Completely encased unit
- Insensitive to coarse material
- 3 to 100 mm separation size
- Fully automatic cleaning of the perforated plate
- Screened wastewater can be used as wash water
- Short tanker vehicle emptying times
- Optional simultaneous emptying of several vehicles
- Minimum wear, reduced maintenance
- Compact, space-saving design
- Low energy demand
- Adjustable rotary drum speed
- Manufactured entirely of stainless steel

## PDF скачать


 [проспект: ROTAMAT® Wash Drum RoSF 9 / RoFAS \(по-английски\)](#) [pdf, 196 KB]

## примеры из практики

- [Grit Recycling at the Largest German WWTP](#)
- [HUBER Grit Treatment System RoSF5 in the waste management industry](#)
- [Professional treatment of sewer grit](#)
- [Reliable grit treatment with the use of HUBER machines](#)
- [First complete treatment plant for sewer grit installed in China](#)
- [New plant in Switzerland for innovative sewer grit treatment with process water recycling](#)
- [Ideal synergies of ecology and economy: smart HUBER solutions for grit processing in the waste management industry](#)

## Media





Video: HUBER ROTAMAT® Wash Drum RoSF9 in a grit treatment process for coarse material separation


<https://www.youtube.com/watch?v=ZVP2aWdm9AE>

Video: HUBER ROTAMAT® Wash Drum RoSF 9 in a grit treatment process for coarse material separation

<https://www.youtube.com/watch?v=SpqlkL361Sc>

Video: HUBER ROTAMAT® Wash Drum RoSF9 in a grit treatment process for coarse material separation

<https://www.youtube.com/watch?v=a2fl9eGOEsk>



Animation: HUBER Wash Drum RoSF9

<https://www.youtube.com/watch?v=MGrAG0bs4xQ>

## другое оборудование серии Автономные установки и компоненты

- Установка для промывки крупной фракции HUBER RoSF13



Генеральный директор: Железнов Алексей Игоревич

Адрес: пр-кт Андропова 18, к. 6 · 115432 Москва · Россия · Телефон: +7 499 6830048 · Факс: +7 499 6830048  
[www.huber-technology.ru](http://www.huber-technology.ru) · [www.huber.de](http://www.huber.de) · E-mail: [huber@mail.ru](mailto:huber@mail.ru) · [info@huber-technology.ru](mailto:info@huber-technology.ru)

Банк ЗАО «ЮниКредит Банк» г. Москва · Расчетный счет: 40702810900010660385 · БИК: 044525545  
 Корресп. счёт: 30101810300000000545

